

LANCASTER COUNTY

COUNTY - CITY BUILDING
LINCOLN, NEBRASKA 68508
BOARD OF COMMISSIONERS

Telephone: (402) 441-7410
FAX : (402) 441-6513

**IT IS THE VENDOR'S RESPONSIBILITY TO CHECK
FOR ADDENDUMS PRIOR TO SUBMITTING PROPOSALS**

NOTICE TO BIDDERS SPECIFICATION NO. 04-291

Lancaster County intends to purchase and invites you to submit a sealed bid for:

FOUR (4) 56,000 GVWR CAB & CHASSIS FOR THE COUNTY ENGINEER'S SHOP

MEETING OR EXCEEDING LANCASTER COUNTY'S SPECIFICATIONS

Sealed bids will be received by Lancaster County, Nebraska on or before **12:00 noon Central Time, Wednesday, November 17, 2004**, in the office of the Purchasing Agent, "**K**" **Street Complex (SW Wing), Suite 200, 440 So. 8th Street**, Lincoln, NE 68508. Bids will be publicly opened and read aloud in the Conference Room at the "**K**" Street Complex.

Bidders should take caution if U.S. mail or mail delivery services are used for the submission of bids. Mailing should be made in sufficient time for bids to arrive in the Purchasing Division, prior to the time and date specified above. Late bid will not be considered.

COMMISSIONERS

*DEB SCHORR * LARRY HUDKINS * RAY STEVENS * BERNIE HEIER * BOB WORKMAN*
KERRY EAGAN, Chief Administrative Officer

INSTRUCTIONS TO BIDDERS

LANCASTER COUNTY, NEBRASKA
PURCHASING DIVISION

1. BIDDING PROCEDURE

- 1.1 Bidder shall submit two (2) complete sets of the bid documents and all supporting material. All appropriate blanks shall be completed. Any interlineation, alteration or erasure on the specification document shall be initialed by the signer of the bid. Bidder shall not change the proposal form nor make additional stipulations on the specification document. Any amplified or qualifying information shall be on the bidder's letterhead and firmly attached to the specification document.
- 1.2 Bid prices shall be submitted on the Proposal Form included in the bid document.
- 1.3 Bidders may submit a bid on an "all or none" or "lump sum" basis, but should also submit a quotation on an item-by-item basis. Bidding documents shall be clearly marked indicating the kind of proposal being submitted.
- 1.4 Each bid must be legibly printed in ink or by typewriter, include the full name, business address, and telephone number of the bidder; and be signed in ink by the bidder.
- 1.5 A bid by a firm or organization other than a corporation must include the name and address of each member.
- 1.6 A bid by a corporation must be signed in the name of such corporation by a duly authorized official thereof.
- 1.7 Any person signing a bid for a firm, corporation, or other organization must show evidence of his authority so to bind such firm, corporation, or organization.
- 1.8 **Bids received after the time and date established for receiving bids will be rejected.**

2. BIDDER'S SECURITY

- 2.1 Bid security, as a guarantee of good faith, in the form of a certified check, cashier's check, or bidder's bond, may be required to be submitted with this bid document, as indicated on the Proposal Form.
- 2.2 If alternate bids are submitted, only one bid security will be required, provided the bid security is based on the amount of the highest gross bid.
- 2.3 Such bid security will be returned to the unsuccessful bidders when the award of bid is made.
- 2.4 Bid security will be returned to the successful bidder(s) as follows:
 - 2.4.1 For single order bids with specified quantities: upon the delivery of all equipment or merchandise, and upon final acceptance by the County.
 - 2.4.2 For all other contracts: upon approval by the County of the executed contract and bonds.
- 2.5 County shall have the right to retain the bid security of bidders to whom an award is being considered until either:
 - 2.5.1 A contract has been executed and bonds have been furnished.
 - 2.5.2 The specified time has elapsed so that the bids may be withdrawn.
 - 2.5.3 All bids have been rejected.
- 2.6 Bid security will be forfeited to the County as full liquidated damages, but not as a penalty, for any of the following reasons, as pertains to this specification document:
 - 2.6.1 If the bidder fails to deliver the equipment or merchandise in full compliance with the accepted proposal and specifications.
 - 2.6.2 If the bidder fails or refuses to enter into a contract on forms provided by the County, and/or if the bidder fails to provide sufficient bonds or insurance within the time period as established in this specification document.

3. EQUAL OPPORTUNITY

- 3.1 Each bidder agrees that it will not discriminate against any employee or applicant for employment because of race, color, religion, sex, national origin, ancestry, disability, age, or marital status. Bidder shall fully comply with the provisions of Chapter 11.08 of the Lincoln Municipal Code.
- 3.2 Successful bidder will be required to comply with the provisions of the County's Affirmative Action Policy (Contract Compliance, Sec. 1.16).
- 3.3 The Equal Opportunity Officer will determine compliance or non-compliance with the County's Affirmative Action Policy upon a complete and substantial review of successful bidder's equal opportunity policies, procedures and practices.

4. DATA PRIVACY

- 4.1 Bidder agrees to abide by all applicable State and Federal laws and regulations concerning the handling and disclosure of private and confidential information concerning individuals and corporations as to inventions, copyrights, patents and patent rights.
- 4.2 The bidder agrees to hold the County harmless from any claims resulting from the bidder's unlawful disclosure or use of private or confidential information.

5. BIDDER'S REPRESENTATION

- 5.1 Each bidder by signing and submitting a bid, represents that the bidder has read and understands the specification documents, and the bid has been made in accordance therewith.
- 5.2 Each bidder for services further represents that the bidder is familiar with the local conditions under which the work is to be done and has correlated the observations with the requirements of the bid documents.

6. INDEPENDENT PRICE DETERMINATION

- 6.1 By signing and submitting this bid, the bidder certifies that the prices in this bid have been arrived at independently, without consultation, communication or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor; unless otherwise required by law, the prices which have been quoted in this bid have not been knowingly disclosed by the bidder prior to bid opening directly or indirectly to any other bidder or to any competitor; no attempt has been made, or will be made, by the bidder to induce any person or firm to submit, or not to submit, a bid for the purpose of restricting competition.

7. CLARIFICATION OF SPECIFICATION DOCUMENTS

- 7.1 Bidders shall promptly notify the Purchasing Agent of any ambiguity, inconsistency or error which they may discover upon examination of the specification documents.
- 7.2 Bidders desiring clarification or interpretation of the specification documents shall make a written request which must reach the Purchasing Agent at least seven (7) calendar days prior to the date and time for receipt of bids.
- 7.3 Interpretations, corrections and changes made to the specification documents will be made by written addenda.
- 7.4 Oral interpretations or changes to the Specification Documents made in any other manner, will not be binding on the County; and bidders shall not rely upon such interpretations or changes.

8. ADDENDA

- 8.1 Addenda are written instruments issued by the County prior to the date for receipt of bids which modify or interpret the specification document by addition, deletion, clarification or correction.
- 8.2 Addenda will be mailed or delivered to all who are known by the County to have received a complete set of specification documents.
- 8.3 Copies of addenda will be made available for inspection at the office of the Purchasing Agent.
- 8.4 No addendum will be issued later than forty-eight (48) hours prior to the date and time for receipt of bids, except an addendum withdrawing the invitation to bid, or an addendum which includes postponement of the bid.
- 8.5 Bidders shall ascertain prior to submitting their bid that they have received all addenda issued, and they shall acknowledge receipt of addenda on the proposal form.

9. ANTI-LOBBYING PROVISION

- 9.1 During the period between the bid close date and the contract award, bidders, including their agents and representatives, shall not directly discuss or promote their bid with any member of the County Board or County Staff except in the course of County-sponsored inquiries, briefings, interviews, or presentations, unless requested by the County.

10. BRAND NAMES

- 10.1 Wherever in the specifications or proposal form brand names, manufacturer, trade name, or catalog numbers are specified, it is for the purpose of establishing a grade or quality of material only; and the term "or equal" is deemed to follow.

- 10.2 It is the bidder's responsibility to identify any alternate items offered in the bid, and prove to the satisfaction of the County that said item is equal to, or better than, the product specified.
- 10.3 Bids for alternate items shall be stated in the appropriate brand on the proposal form, or if the proposal form does not contain blanks for alternates, bidder MUST attach to the specification documents on Company letterhead a statement identifying the manufacturer and brand name of each proposed alternate, plus a complete description of the alternate items including illustrations, performance test data and any other information necessary for an evaluation. The bidder must indicate any variances by item number from the specification document no matter how slight. Bidder must fully explain the variances from the specification document, since brochure information may not be sufficient.
- 10.4 If variations are not stated in the proposal, it will be assumed that the item being bid fully complies with the County's specifications.

11. DEMONSTRATIONS/SAMPLES

- 11.1 Bidders shall demonstrate the exact item(s) proposed within seven (7) calendar days from receipt of such request from the County.
- 11.2 Such demonstration can be at the County delivery location or a surrounding community.
- 11.3 If bidder does not have an item in the area, it will be at the bidder's expense to send appropriate County personnel to the nearest location to view and inspect proposed item(s).
- 11.4 If items are small and malleable, and the bidder is proposing an alternate product, the bidder MUST supply a sample of the exact item. Samples will be returned at bidder's expense after receipt by the County of acceptable goods. Bidders must indicate how samples are to be returned.

12. DELIVERY

- 12.1 Each bidder shall state on his proposal form the date upon which he can make delivery of all equipment or merchandise. Time required for delivery is hereby made an essential element of the bid.
- 12.2 The County reserves the right to cancel orders, or any part thereof, without obligation, if delivery is not made within the time(s) specified on the proposal form.
- 12.3 All bids shall be based upon inside delivery of the equipment or merchandise F.O.B. the County at the location specified by the County, with all transportation charges paid.

13. WARRANTIES, GUARANTEES AND MAINTENANCE

- 13.1 Copies of the following documents must accompany the bid proposal for all items being bid:
 - 13.1.1 Manufacturer's warranties and/or guarantees.
 - 13.1.2 Bidder's maintenance policies and associated costs.
- 13.2 As a minimum requirement of the County, the bidder will guarantee in writing that any defective components discovered within a one (1) year period after the date of acceptance shall be replaced at no expense to the County. Replacement parts of defective components shall be shipped at no cost to the County. Shipping costs for defective parts required to be returned to the bidder shall be paid by the bidder.
- 13.3 Bidder Warrants and represents to the County that all software/firmware/ hardware/equipment /systems developed, distributed, installed or programmed by Bidder pursuant to this Specification and Agreement.
 - 13.3.1 That all date recognition and processing by the software/firmware/hardware/equipment/ system will include the four-digit-year format and will correctly recognize and process the date of February 29, and any related data, during Leap years; and
 - 13.3.2 That all date sorting by the software /firmware/hardware/ equipment/system that includes a "year category" shall be done based on the four-digit-year format. Upon being notified in writing by the County of the failure of any software/ firmware/ hardware /equipment /systems to comply with this Specification and Agreement, Contractor will, within 60 days and at no cost to the County, replace or correct the non-complying software/ firmware/ hardware/ equipment/ systems with software/firmware/ hardware/equipment/systems that does comply with this Specification and Agreement.
 - 13.3.3 No Disclaimers: The warranties and representations set forth in this section 13.3 shall not be subject to any disclaimer or exclusion of warranties or to any limitations of Licensor's liability under this Specification and Agreement.

14. ACCEPTANCE OF MATERIAL

- 14.1 All components used in the manufacture or construction of materials, supplies and equipment, and all finished materials, shall be new, the latest make/model, of the best quality, and the highest grade workmanship.
- 14.2 Material delivered under this proposal shall remain the property of the bidder until:
 - 14.2.1 A physical inspection and actual usage of this material is made and found to be acceptable to the County; and
 - 14.2.2 Material is determined to be in full compliance with the specifications and accepted proposal.
- 14.3 In the event the delivered material is found to be defective or does not conform to the specification documents and accepted proposal, then the County reserves the right to cancel the order upon written notice to the bidder and return materials to the bidder at bidder's expense.
- 14.4 Successful bidder shall be required to furnish title to the material, free and clear of all liens and encumbrances, issued in the name of the Lancaster County, Nebraska, as required by the specification documents or purchase orders.
- 14.5 Selling dealer's advertising decals, stickers or other signs shall not be affixed to equipment. Vehicle mud flaps shall be installed blank side out with no advertisements. Manufacturer's standard production forgings, stampings, nameplates and logos are acceptable.

15. BID EVALUATION AND AWARD

- 15.1 The signed bid proposal shall be considered an offer on the part of the bidder. Such offer shall be deemed accepted upon issuance by the County of purchase orders, contract award notifications, or other contract documents appropriate to the work.
- 15.2 No bid shall be modified or withdrawn for a period of sixty (60) calendar days after the time and date established for receiving bids, and each bidder so agrees in submitting the bid.
- 15.3 In case of a discrepancy between the unit prices and their extensions, the unit prices shall govern.
- 15.4 The bid will be awarded to the lowest responsive, responsible bidder whose proposal will be most advantageous to the County, and as the County deems will best serve their requirements.
- 15.5 The County reserves the right to accept or reject any or all bids; to request rebids; to award bids item-by-item, by groups, or "lump sum"; to waive irregularities and technicalities in bids; such as shall best serve the requirements and interests of the County.

16. INDEMNIFICATION

- 16.1 The bidder shall indemnify and hold harmless the County, its members, its officers and employees from and against all claims, damages, losses, and expenses, including, but not limited to attorney's fees arising out of or resulting from the performance of the contract, provided that any such claim, damage, loss or expense is attributable to bodily injury, sickness, disease or death, or to injury to or destruction of tangible property other than goods, materials and equipment furnished under this contract) including the loss or use resulting therefrom; is caused in whole or part by any negligent act or omission of the bidder, any subcontractor, or anyone directly or indirectly employed by any one of them or anyone for whose acts made by any of them may be liable, regardless of whether or not it is caused by a party indemnified hereunder.
- 16.2 In any and all claims against the County or any of its members, officers or employees by an employee of the bidder, any subcontractor, anyone directly or indirectly employed by any of them or by anyone for whose acts made by any of them may be liable, the indemnification obligation under paragraph 16.1 shall not be limited in any way by any limitation of the amount or type of damages, compensation or benefits payable by or for the bidder or any subcontractor under worker's or workmen's compensation acts, disability benefit acts or other employee benefit acts.

17. TERMS OF PAYMENT

- 17.1 Unless other specification provisions state otherwise, payment in full will be made by the County within thirty (30) calendar days after all labor has been performed and all equipment or other merchandise has been delivered, and all such labor and equipment and other materials have met all contract specifications.

18. LAWS

- 18.1 The Laws of the State of Nebraska shall govern the rights, obligations, and remedies of the Parties under this proposal and any agreement reached as a result of this process.

19. AFFIRMATIVE ACTION

- 19.1 The City of Lincoln-Lancaster County Purchasing Division provides equal opportunity for all bidders and encourages minority businesses and women's business enterprises to participate in our bidding process.

EQUIPMENT SPECIFICATIONS

56,000 GVWR CAB & CHASSIS

1. APPLICATIONS

- 1.1 It is the intent of this specification to adequately describe a truck cab and chassis in the 56,000 GVWR category for mounting of a 10-12 cu. yd. dump body, sander, and 11 ft. hydraulic reversible snow plow.
- 1.1.1 This application not only demands the truck cab and chassis provide for transportation of the mounted equipment, but also to be the primary power source for these attachments, which will be accomplished through a front mounted crankshaft driven load sensing hydraulic pump.

2. MODEL

- 2.2 The equipment furnished under these specifications shall be new (2005) of latest improved model in current production as offered to the commercial trade.
- 2.2.1 Quality Example, Model:
- 2.2.1.1 Sterling M850
- 2.2.1.2 Freightliner FL-80
- 2.2.1.2 International Series 7000
- 2.2.2 Any example shown is listed to show type and class of equipment desired.
- 2.2.3 Bidders are cautioned to read the specifications carefully; the specifications may include special requirements not commonly offered by the manufacturer.
- 2.2.4 DO NOT ASSUME your standard equipment meets all detailed specifications merely because it is listed above as an example.
- 2.2.5 Vehicle shall be complete with all accessory equipment (less body, snow plow, and sander) as specified, to include all manuals at the time of delivery.
- 2.3 Vehicle shall comply with all current provisions of the National Traffic and Motor Vehicle Safety Act.

Indicate in the space provided if unit offered meets specifications listed in this chart.

YES	NO	ITEM #	FEATURE/DESCRIPTION	COMMENTS
		3.	GVWR - Not less than 56,000 pounds	
		4.	Wheel Base - Not less than 185 inches	
		5.	Cab to Tandem Axle Center - 120 inches minimum	
		6.	Engine: Diesel-powered, to meet or exceed the following minimum requirements:	
			6.1 Minimum SAE GROSS H.P. 250 turbo charged	
			6.2 Governed Engine Speed: Engine manufacturers recommendation for highest torque rise available	
			6.3 Replaceable Engine Sylinder Sleeves	
			6.4 Two-stage full flow fuel filter	
			6.5 Heavy duty engine cooling system	
			6.6 Silicone hose package to include radiator, heater and engine bypass hoses	
			6.7 Manufacturers recommended removable winter front	
			6.8 Horton Automatic fan drive	

YES	NO	ITEM #	FEATURE/DESCRIPTION	COMMENTS
			6.9 Manufacturers highest quality air filtration system with cab mounted condition indicators	
			6.10 Air cleaner air intake source inside/outside with in-cab control	
			6.11 Cold starting equipment, intake manifold heater electric grid heater with engine ECM control or either cold start aid equipment with cab controls to include bottle	
			6.12 Electronic engine throttle control	
			6.13 Vertical exhaust stack with heat shield - frame mounted	
			6.14 Electronic engine: high torque, Peak torque 800 lb. ft. minimum	
			6.15 Front crankshaft PTO and adapter plate	
		7.	Transmission: Fuller RT8908LL 10 Speed	
		8.	Clutch: Spicer 14 inch two-plate with ceramic facing. (Solo Adjustable free clutch) Pull-type w/heavy duty pressure plate and torque rating to exceed engine torque	
		9.	Front Axle: 16,000 pound minimum capacity, I-Beam type 71.5 inch King Pin Center-Wide Track Axle	
		10.	Front Suspension: 16,000 pound multi-leaf springs with heavy-duty shock absorbers	
		11.	Rear-Axle: 40,000 pounds minimum capacity with 200 wheel end bearings.	
			11.1 Meritor RT-40 145 single reduction tandem or equal	
			11.2 Air operated power divider lockout	
			11.3 Ratio, to provide road speed of 65 MPH at governed speed	
		12.	Rear Suspension: Walking beam type 52" axle spacing, 40,000 lb. Capacity, with rubber center bushings, Hendrickson RT403 or equal	
		13.	Frame: 20.93 Nominal section modulus, WITH 120,000 P.S.I. steel, 2,511,600 inch-pounds nominally R.B.M.	
			13.1 Frame extension front integral single rail system will have same RBM and section modulus rating as the rest of the frame (bolt on or welded frame not acceptable)	
		14.	Wheels: Front (2) 9.00 DC x 22.5 rims, disc type, ten hole interchangeable	
			14.1 Rear (8) 8.25 DC x 22.5 rims disc type, ten hole interchangeable, dual rear wheels	

YES	NO	ITEM #	FEATURE/DESCRIPTION	COMMENTS
			14.2 Oil lubricated wheel seals, both front and rear	
		15.	Tires: Front (2) 315/80R225 18 ply Load Range J	
			15.1 Premium All Position front tires Goodyear Unisteel G286 or equal	
			15.2 Rear (8) IIR225 16 ply Load Range H	
			15.3 Mixed Service Aggressive Tread rear tires Goodyear Unisteel G177 or equal	
		16.	Service Brakes: Dual air brake system	
			16.1 13.2 CEM minimum capacity air compressor	
			16.2 Front 16.5 x 6 air brake group with 20 sq. in. chambers	
			16.3 Rear 16.5 x 7 cam type air brake group four spring brake chambers, 30 Sq. In. Each	
			16.4 Bendix Westinghouse AD-9 air drier with heater	
			16.5 Dust shields	
		17.	Parking Brake: MGM piggy-back spring-actuated double-diaphragm parking brake	
		18.	Steering: Hydraulic power steering, rated to front axle capacity. Dual power steering gears.	
		19.	Electrical System: 12 volt negative ground system	
			19.1 Two (2) heavy duty maintenance free batteries, not less than 1,850 CCA combined capacity	
			19.2 130 amp alternator	
			19.3 Circuit breaker protection, manual reset	
			19.4 Remote mounted Engine control, provisions for body builder wiring/installation for PTO control/sander controls	
			19.5 Provisions for stop/tail/turn signal wiring for body supplier located at rear frame	
			19.6 Remote mounted engine control, installation for PTO control/sander control	
			19.7 Color coded and protective wiring system	
		20.	Cab: Fully enclosed, safety-type cab with key locks on all doors	
			20.1 Tinted safety glass on all windows and windshield	
			20.2 Cab designed to exclude noise and weather	

YES	NO	ITEM #	FEATURE/DESCRIPTION	COMMENTS
			20.3 Safety grab handles, dual entry, internal & external	
			20.4 Fiberglass tilt hood, stationary grill	
			20.5 Cab rear suspension - air bag type	
		21.	Mirrors: Right and left side adjustable rear-vision West Coast type with auxiliary convex mirrors, bright finish aluminum or powder coated mirror bracket and heads (breakaway design)	
			21.1 Heating element in each mirror, including convex mirror, switch in cab	
		22.	Controls: Key locking ignition switch	
			21.1 Headlight, parking light and dome light switch	
			21.2 Headlight beam indicator	
			21.3 Speedometer	
			21.4 Electronic engine oil pressure, coolant temperature, volt meter, fuel gauge, dual air gauges	
			21.5 Self-cancelling turn signals and four way flashers	
			21.6 Warning light and buzzer for high engine temperature and low engine oil pressure	
			21.7 Low air pressure warning light and buzzer	
			21.8 Tachometer	
		23.	Extra Equipment: Interior dome light	
			23.1 Cigarette lighter and ash receiver	
			23.2 Two (2) front and rear tow hooks	
			23.3 Electronic back-up alarm	
			23.4 Dual electric horns	
			23.5 Air horns	
			23.6 Engine hour meter	
			23.7 Antifreeze protection to -35 degrees long life	
			23.8 AM-FM radio with dual speakers	
			23.9 Engine block heater with fender mounted or under cab left side receptacle, 110 volt, 1,250 watt	
			23.10 Dual arm rests	
			23.11 Dual sun visors	

YES	NO	ITEM #	FEATURE/DESCRIPTION	COMMENTS
			23.12 Variable speed or intermittent wipers with electric washers	
			23.13 High output B.T.U. heater and full windshield defrosters	
			23.14 Dual 50 Gal. Step fuel tanks. Dual draw/return fuel lines without crossover	
			23.15 Factory installed air conditioning with system protection systems (APADS or equivalent)	
			23.16 Auxiliary side turn signals on fender mounted dual lens design so signals can be seen from front and rear	
		24.	Paint: Manufacturer's standard Fleet Orange similar to DuPont No. 93-7504H "Omaha Orange", base coat/clear coat paint. NOTE: Bidder shall furnish paint chip of Fleet Orange with his/her proposal form.	
			24.1 Top of hood shall be non-glare flat black enamel	
			24.2 Interior color to be tan, buckskin or gray	
		25.	Seats: Drivers seat - Air suspension, high back vinyl	
			25.1 Passenger's seat - non-suspension, high back vinyl	
			25.2 Seat belts with retractors for driver and passenger	
		26.	Truck Body: Lancaster County will supply and arrange for the mounting of 10-12 cu. yd. dump bodies for these Group 3 vehicles.	
		27.	Options: One (1) each front and rear spare, wheel, less tire, (each truck)	
			27.1 One (1) complete operators manual for each truck plus one (5) total	
			27.2 One (1) complete service manual	
			27.3 One (1) complete parts manual or parts CD	
		28.	Delivery: Lancaster County Shop 444 Cherry Creek Road, Bldg B Lincoln, NE Monday thru Friday between 8:00 A.M. and 3:30 P.M. or to dump body, plow installer to be arranged after award of bid to box installer.	

**PROPOSAL
SPECIFICATION NO. 04-291**

**BID OPENING TIME 12:00 NOON
DATE: November 17, 2004**

The undersigned bidder, having full knowledge of the requirements of County of Lancaster for the below listed items and the contract documents (which include Notice to Bidders, Instructions to Bidders, this Proposal, Specifications, Contract, and any and all addenda) and all other conditions of the Proposal, agrees to sell to the County the below listed items for the performance of this Specification, complete in every respect, in strict accordance with the contract documents at and for unit prices listed below.

THE REQUIREMENTS FOR:

56,000 GVWR CAB AND CHASSIS for County Engineer Shop

<u>BIDDING SCHEDULE</u>				
<u>ITEM</u>	<u>ITEM DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNIT</u>	<u>TOTAL</u>
1.	56,000 GVWR Cab & Chassis Drive Motor Grader Mfg. _____ Model # _____	Four (4)	\$ _____	\$ _____

Bid bond, performance and payment bonds **WILL NOT REQUIRED**

The undersigned signatory for the bidder represents and warrants that he has full and complete authority to submit this proposal to the County/City, and to enter into a contract if this proposal is accepted.

**RETURN 2 COMPLETE COPIES OF PROPOSAL AND SUPPORTING MATERIAL
MARK OUTSIDE OF BID ENVELOPE AS FOLLOWS: SEALED BID FOR SPEC. 04-291**

COMPANY NAME

BY (SIGNATURE)

STREET ADDRESS or P.O. BOX

(PRINT NAME)

CITY, STATE ZIP CODE

(TITLE)

TELEPHONE

(DATE)

EMPLOYER'S FEDERAL I.D. NO. OR
SOCIAL SECURITY NUMBER

ESTIMATED DELIVERY DAYS

TERMS OF PAYMENT

EMAIL ADDRESS

BIDS MAY BE INSPECTED IN THE PURCHASING OFFICES DURING NORMAL BUSINESS HOURS, AFTER TABULATION. IF YOU DESIRE A COPY OF THE BID TABULATION TO BE MAILED TO YOU, ENCLOSE A SELF-ADDRESSED STAMPED ENVELOPE WITH BID. Bid tabulations can also be viewed on our website at: www.lincoln.ne.gov Keyword: "Bid"